

測試報告 Test Report

號碼(No.): CE/2018/31145

日期(Date): 2018/03/12

頁數(Page): 1 of 8

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中市豐原區圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By)	:	宇祥網版塗料股份有限公司(YU HSING SCREEN & PAINT CO., LTD.)
樣品名稱(Sample Description)	:	A-88型 透明油墨 \ A-88 Transparent Ink
		A-88型 特白油墨 \ A-88 White Ink
		A-88型 特黑油墨 \ A-88 Black Ink
		A-88型 桔紅油墨 \ A-88 Super Orange Ink
		A-88型 清紅油墨 \ A-88 Bright Red Ink
		A-88型 金紅油墨 \ A-88 Gold Red Ink
		A-88型 洋紅油墨 \ A-88 Magenta Ink
		A-88型 玫瑰紅油墨 \ A-88 Rose Red Ink
		A-88型 紫紅油墨 \ A-88 Purple Red Ink
		A-88型 紫藍油墨 \ A-88 Violet Ink
		A-88型 特藍油墨 \ A-88 Permanent Blue Ink
		A-88型 群藍油墨 \ A-88 Brilliant Blue Ink
		A-88型 特綠油墨 \ A-88 Permanent Green Ink
		A-88型 中黄油墨 \ A-88 Golden Yellow Ink
		A-88型 檸檬黃油墨 \ A-88 Lemon Yellow Ink
		A-88型 四原黑油墨 \ A-88 Black Tix Ink
		A-88型 四原黄油墨 \ A-88 Yellow Tix Ink
		A-88型 四原藍油墨 \ A-88 Cyan Tix Ink
		A-88型 四原紅油墨 \ A-88 Magenta Tix Ink
收件日期(Sample Receiving Date)	:	2018/03/05
測試期間(Testing Period)	:	2018/03/05 TO 2018/03/12
	=====	



Fest Results: AWA 読参閲下一頁 (Please refer to following pages).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Documentapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2018/31145

日期(Date): 2018/03/12

頁數(Page): 2 of 8

Test Report

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中市豐原區圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.

<u>測試結果(Test Results)</u>

測試部位(PART NAME)No.1 : 黑色油墨(客戶自行調配之樣品)(乾基)(BLACK INK (SAMPLE IS BLENDED BY CLIENT)(DRY BASE))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg		2	n. d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4 (2013),以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI) (◆)	mg/kg	参考IEC 62321-7-2 (2017),以UV-VIS 検測; 参考IEC 62321-5 (2013),以 ICP-AES檢測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS.; With reference to IEC 62321-5 (2013) and performed by ICP-AES.	8	n. d.
多溴聯苯總和 / Sum of PBBs	mg/kg	参考IEC 62321-6 (2015),以氣相層析 /質譜儀檢測. / With reference to IEC 62321-6 (2015) and performed by GC/MS.	_	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



號碼(No.): CE/2018/31145

日期(Date): 2018/03/12

頁數(Page): 3 of 8

Test Report 宇祥網版塗料股份有限公司

YU HSING SCREEN & PAINT CO., LTD.

台中市豐原區圓環東路270號

NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		_	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	1	5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg	1	5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	參考IEC 62321-6 (2015),以氣相層析	5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	/質譜儀檢測. / With reference to	5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	IEC 62321-6 (2015) and performed by GC/MS.	5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.
鄰苯二甲酸丁苯甲酯 / BBP(Butyl Benzyl phthalate)(CAS No.: 85-68-7)	mg/kg	參考IEC 62321-8 (2017),以氣相層析 儀/質譜儀檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二丁酯 / DBP(Dibuty1 phthalate)(CAS No.: 84-74-2)	mg/kg		50	n. d.
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84-69- 5)	mg/kg		50	n. d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761- 40-0; 68515-49-1)	mg/kg		50	n. d.
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553- 12-0; 68515-48-0)	mg/kg		50	n. d.
鄰苯二甲酸二正辛酯 / DNOP(Di-n- octyl phthalate)(CAS No.: 117-84-0)	mg/kg		50	n. d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Documentapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.) : CE/2018/31145

日期(Date): 2018/03/12

頁數(Page): 4 of 8

Test Report

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中市豐原區圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. (♠):

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。 The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required. 若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。

If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Documentapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

號碼(No.) : CE/2018/31145


日期(Date): 2018/03/12

頁數(Page): 5 of 8

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中市豐原區圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.



根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an

at 540 nm by UV-VIS



Test Report

號碼(No.): CE/2018/31145

日期(Date): 2018/03/12


頁數(Page): 6 of 8

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中市豐原區圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process →→ 選擇性篩檢程序 / Optional screen process →→→ 確認程序 / Confirmation process → → →→



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



Test Report

號碼(No.): CE/2018/31145

日期(Date): 2018/03/12


頁數(Page): 7 of 8

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中市豐原區圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.

<u>可塑劑分析流程圖 / Analytical flow chart - Phthalate</u>

- 測試人員:徐毓明 / Technician: Andy Hsu
- 測試負責人:張啟興 / Supervisor: Troy Chang

【测試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



測試報告 Test Report

號碼(No.): CE/2018/31145

日期(Date): 2018/03/12

頁數(Page): 8 of 8

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中市豐原區圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN DIST., TAIWAN, R. O. C.

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-