台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3273 www.sgs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中縣豐原市圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN CITY, TAIWAN, R. O. C.

identified by/on behalf of the client as):

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and

號碼(No.): CE/2009/55370

樣品名稱(Sample Description) PK-66型 黑色油墨 PK-66 BLACK INK PK-66型 白色油墨 PK-66 WHITE INK PK-66型 紅色油墨 PK-66 RED INK PK-66型 黄色油墨 PK-66 YELLOW INK PK-66型 藍色油墨 PK-66 BLUE INK 收件日期(Sample Receiving Date) 2009/05/25 : 測試期間(Testing Period) 2009/05/25 TO 2009/06/03 :

:

測試結果(Test Results)

請見下一頁 (Please refer to next pages).

Shin-Jyh Chen

Shiniyh Chen'/ Asst. Manager Signed for and on behalf of SGS TAIWAN LTD. **Chemical Laboratory - Taipei**

除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製

Test Report

測試報告

頁數(Page): 1 of 5

日期(Date): 2009/06/03

Member of the SGS Group (SGS SA)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之後品負責。本報告未經本公司書面許可,不可部分複製。

備註(Note):									
1.	mg/kg	=	ppm 3	;	0.1wt%	=	1000ppm		

- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)

			(IIIDE)	
多苯環芳香族化合物 / Polynuclear Aromatic Hydrocarbons (PAHs)				
Acenaphthene (CAS No.: 000083-32-9)			0.2	n.d.
Acenaphthylene (CAS No.: 000208-96-8)			0.2	n.d.
Anthracene (CAS No.: 000120–12–7)			0.2	n.d.
Benzo[a]anthracene (CAS No.: 000056-55-3) Benzo[a]pyrene (CAS No.: 000050-32-8)			0.2	n.d.
			0.2	n.d.
Benzo[b]fluoranthene (CAS No.: 000205-99-2)	1	參考ZLS standard ZEK 01.2-08方法,以氣相層析		n.d.
Benzo[g,h,i]perylene (CAS No.: 000191-24-2)	1			n.d.
Benzo[k]fluoranthene (CAS No.: 000207-08-9)	1			n.d.
Chrysene (CAS No.: 000218-01-9) Dibenzo[a,h]anthracene (CAS No.: 000053-70-3) Fluoranthene (CAS No.: 000206-44-0)		質譜儀(GC/MS)檢測. / With reference to ZLS standard ZEK 01.2-08 method. Analysis was performed by GC/MS.	0.2	n.d.
			0.2	n.d.
			0.2	n.d.
Fluorene (CAS No.: 000086-73-7)			0.2	n.d.
Indeno[1,2,3-c,d] pyrene (CAS No.: 000193-39-5)			0.2	n.d.
Naphthalene (CAS No.: 000091-20-3)			0.2	3.52
Phenanthrene (CAS No.: 000085-01-8)			0.2	n.d.
Pyrene (CAS No.: 000129-00-0)			0.2	n.d.
1-Methylnaphthalene (CAS No.: 000090-12-0) 2-Methylnaphthalene (CAS No.: 000091-57-6) Benzo[e]pyrene (CAS No.: 000192-97-2)			0.2	n.d.
			0.2	n.d.
			0.2	n.d.

單位

(Unit)

测试部位(PART NAME) NO.1 : 深灰油墨 (DK. GRAY INK)

測試項目

(Test Items)

宇祥網版塗料股份有限公司
YU HSING SCREEN & PAINT CO., LTD.
台中縣豐原市圓環東路270號
NO. 270, YUAN HUAN E. RD., FENG YUAN CITY, TAIWAN, R. O. C.

測試報告 Test Report

<u>測試結果(Test Results)</u>

SG

號碼(No.) : CE/2009/55370

日期(Date) : 2009/06/03

測試方法

(Method)

頁數(Page) : 2 of 5

方法偵測

極限值

(MDL)

結果(Result)

NO.1

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

測試報告 Test Report

字祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中縣豐原市圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN CITY, TAIWAN, R. O. C.

<u> 参考資料(Reference information) :</u>

依據ZEK 01.2-08之要求:產品中最大值為

(Requirement of ZEK 01.2-08 : Restraining maximum values for products)

號碼(No.): CE/2009/55370

項目 (Parameter)	第1類 (Category 1)	第2類 (Category 2)	第3類 (Category 3)	
	與食品接觸或放入嘴内的	持續地(長時間)與皮膚接	暫時地(短時間)與皮膚接	
	材料,以及給三歲以下的	觸逾30秒,以及不屬第1	觸但不逾30秒或不會與	
	幼兒使用的玩具.	類的玩具.	皮膚接觸.	
	(Materials in contact	(Materials with	(Materials with	
	with foodstuff or		foreseeable skin	
	materials which are	contact >30 s	contact <30 s (short	
	meant to put in the	(prolonged skin	time skin contact) or	
	mouth as well as toys	contact) and toys not	without skin contact.)	
	for children <36	covered by category 1.)		
	months.)			
苯駢(a)芘	<mdl (<0.2)**<="" td=""><td>1</td><td>20</td></mdl>	1	20	
Benzo[a]pyrene (mg/kg)			20	
環保署規範16項PAH				
總濃度 (Sum of 16	<mdl (<0.2)**<="" td=""><td>10</td><td>200</td></mdl>	10	200	
EPA-PAH) (mg/kg)*				

注意(Remark): * = PAH濃度大於0.2mg/kg時,則須計算PAH總濃度值

(Only PAH substances >0.2 mg/kg are taken into account while calculating the sum of PAHs)

** = 最大濃度值超出等級一的限制,但在等級二的濃度限制值內時,可能需要確認測試材質 是否合適於食品容器或是依照DIN EN1186ff/ §64 LFGB 80.30-1方法,針對特定PAH的 遷移測試進行測試。遷移測試的結論需依照食品法規規範

(In case that the maximum values exceed the limits of category 1, but are within the limits of category 2, one may confirm the suitability of the tested material for contact with foodstuff or oral mucosa by additional specific migration tests of PAH components based on DIN EN 1186ff and \S 64 LFGB 80.30-1. The conclusion of the migration test results must be made based on food law criteria.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



頁數(Page) : 3 of 5

日期(Date) : 2009/06/03

offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3273 www.sgs.com

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and

宇祥網版塗料股份有限公司 YU HSING SCREEN & PAINT CO., LTD. 台中縣豐原市圓環東路270號 NO. 270, YUAN HUAN E. RD., FENG YUAN CITY, TAIWAN, R. O. C.

多苯環芳香族化合物分析流程圖 /


日期(Date): 2009/06/03

PAHs (Polynuclear Aromatic Hydrocarbons) analytical flow chart

1) 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu

號碼(No.): CE/2009/55370

2) 測試負責人:陳新智 / Name of the person in charge of measurement: Shinjyh Chen





測試報告

Test Report

頁數(Page): 4 of 5

NO. 270, YUAN HUAN E. RD., FENG YUAN CITY, TAIWAN, R. O. C.



** 報告結尾(End of Report) **

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3273 f + 886 (02)2299 3273 f + 886 (02)2299 3273 f + 886 (02)2299 327 www.sgs.com



測試報告 **Test Report**

號碼(No.) : CE/2009/55370

CE/2009/55370

Indianal 3cm

NK-66型 黑色油墨 NK-66型 白色油墨 NK-66型 紅色油墨 NK-66型 黃色油墨 NK-66型 藍色油墨

日期(Date) : 2009/06/03

頁數(Page): 5 of 5